

## Get a Quick Quote on Alibaba

The **SM813 Series Micro Beacon** offers 6 distinct mounting configurations to fit virtually any vehicle or equipment setup. All models share the same powerful core — 36 super bright LEDs delivering ECE R65 compliant 120 flashes per minute, ECE R10 certified, and IP66 waterproof protection. The uniform 115×57mm cover design ensures consistent visibility across all mounting styles.

Choose the mount that fits your application: flexible pipe (AC, 171mm), single bolt (EC, 128mm), magnetic (GC, 105mm / HC, 88mm), flexible & permanent (IC, 195mm), or 3-bolt fixed (PC, 73mm). All models operate on wide DC 12-24V voltage and withstand extreme temperatures from -30°C to +50°C. Ideal for trucks, forklifts, construction vehicles, agricultural machinery, emergency response units, and industrial equipment.

### SM813 Series Models (Cover: 115×57mm | 36 LEDs | ECE R65/R10 | IP66 | DC 12-24V)

Model	Mount Type	Height	Flash Rate	Voltage
<b>SM813AC</b>	Flexible Pipe Mount	171mm	120 FPM	DC 12-24V
<b>SM813EC</b>	Single Bolt Mount	128mm	120 FPM	DC 12-24V
<b>SM813GC</b>	Magnetic Mount	105mm	120 FPM	DC 12-24V
<b>SM813HC</b>	Magnetic Mount (Low Profile)	88mm	120 FPM	DC 12-24V
<b>SM813IC</b>	Flexible & Permanent Mount	195mm	120 FPM	DC 12-24V
<b>SM813PC</b>	3 Bolts Mount (Compact)	73mm	120 FPM	DC 12-24V

**OEM / ODM Ready (MOQ 500 units):** Custom logo, packaging, cable length, and flash patterns. Supported by our IATF 16949 & ISO 9001 certified factory with 18+ years of experience. Defect rate below 0.2%, 100% on-time delivery.

### Technical Specifications (All Models)

Parameter	Specification
<b>Product Series</b>	SM813 Micro Beacon (6 Models)
<b>LED Configuration</b>	36 Super Bright LEDs
<b>Flash Rate</b>	ECE R65 120 Flashes per Minute
<b>Cover Dimensions</b>	115mm × 57mm (All Models)
<b>Heights</b>	AC:171 / EC:128 / GC:105 / HC:88 / IC:195 / PC:73 (mm)
<b>Operating Voltage</b>	DC 12 V - 24 V
<b>Certifications</b>	ECE R65, ECE R10
<b>Ingress Protection</b>	IP66 Waterproof
<b>Operating Temperature</b>	-30°C to +50°C
<b>Mount Options</b>	Flexible Pipe / Single Bolt / Magnetic / Flexible & Permanent / 3 Bolts
<b>Warranty</b>	<b>3 Years</b>
<b>Customization (MOQ 500 Units)</b>	Custom Logo, Packaging, Cable Length, Flash Patterns
<b>Manufacturer Certifications</b>	IATF 16949, ISO 9001, ECE R65, SAE, EMC, ECE R148, REACH, RoHS, CE, UKCA, IP69K, IP66, IP67, ICAO, CISPR 25

### Download Datasheet (PDF)

Click the button, then select "Save as PDF" in the print dialog to download.

## Why Choose Sumbexauto

Advantage	Detail
<b>Manufacturing Experience</b>	18+ Years
<b>Quality Certification</b>	IATF 16949 & ISO 9001

<b>Advantage</b>	<b>Detail</b>
<b>Defect Rate</b>	Below 0.2%
<b>On-Time Delivery</b>	100%
<b>Warranty</b>	Up to 3 Years
<b>R&amp;D Capability</b>	6-8 New Designs per Year, Over 100 Patents
<b>OEM / ODM</b>	Fast Response, Custom Logo, Packaging & Specifications
<b>Testing Equipment</b>	Lumen, Aging, UV, High-Low Temp, Waterproof, Vibration